

COOLSCULPTING AFTER CARE

Typically, there is minimal discomfort and recovery time after the CoolSculpting procedure. Most patients can return to their daily routine immediately after the procedure.

The treated area may be red for up to a few hours after the applicator is removed.

Many patients have minimal discomfort following the procedure, however you may experience one or more of the following sensations: deep itching, tingling, numbness, tenderness to the touch, pain in the treated area, strong cramping, nausea, bloating, diarrhea, muscle spasms, aching and/or soreness. Consult Dr. Tsitsis if these conditions persist beyond two weeks or worsen over time.

Following the procedure, a gradual reduction in the thickness of the fat layer will take place. You may start to see changes as early as three weeks after the CoolSculpting procedure and you will experience the most dramatic results after one to three months. Your body will continue naturally to process the injured fat cells from your body for approximately four months after your procedure.

In rare cases, patients have reported darker skin color, hardness, discrete nodules, freeze burn, enlargement of the treated area, hernia or worsening of existing hernia following the CoolSculpting procedure. Surgical intervention may be required to correct the enlargement or hernia.

Some patients, especially the ones who get their low abdomen treated with the Cool Max applicator, may get “delayed onset of pain” 3-4 days after the procedure. It may feel like you have done many, many sit-ups. It may be difficult to sleep. If you start to feel the onset of this, start taking Ibuprofen, 800 mg 3 times a day around the clock with food (as long as you do not have sensitivity to this medication). You may add Omeprazole 20 mg a day (over the counter if you get acid reflux from anti-inflammatories). Icing, tight yoga pants, sleeping with your belly supported by a pillow all may help. It will resolve usually within 3-4 days.

Weight gain will prevent you from appreciating your full results. Maintaining a healthy diet and exercise routine after your procedure can help prevent this.

If you are doing a second session, schedule two months after your first session.

Schedule a three month follow-up (after your second session if applicable) to review your clinical results and discuss the option of additional treatments to achieve desired fat reduction.

Please call RejuvenationMD if your symptoms appear to worsen or last longer than one month.